- 1. (original) A fungicidal mixture, comprising
  - (1) 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-[1,2,4]-triazole-3-thione (prothioconazole) of the formula I or its salts or adducts

$$C1 \longrightarrow CH_2 \longrightarrow CH_2 \longrightarrow C1$$

$$N \longrightarrow NH$$

$$NH$$

and at least one insecticide selected from the group consisting of

(2) fipronil of the formula II

$$F_{3}C$$
  $N$   $CN$   $CN$   $CI$   $NH_{2}$   $CF_{3}$ 

(3) chlorpyrifos of the formula III

C1 OP (OCH<sub>2</sub>CH<sub>3</sub>)<sub>2</sub> (III)
$$C1$$

or

(4) thiamethoxam of the formula IV

in a synergistically effective amount.

- 2. (original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and fipronil of the formula II.
- (original) A fungicidal mixture as claimed in claim 1,
   comprising prothioconazole of the formula I and chlorpyrifos

of the formula III.

- (original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and thiamethoxam of the formula IV.
- 5. (original) A fungicidal mixture as claimed in claim 1,
  wherein the weight ratio of prothioconazole of the formula I
  - fipronil of the formula II
    is from 20 : 1 to 1 : 20,
  - chlorpyrifos of the formula III is from 20 : 1 to 1 : 20 and
    - thiamethoxam of the formula IV is from 20 : 1 to 1 : 20.
- 6. (original) A method for controlling harmful fungi, which comprises treating the harmful fungi, their habitat or the plants, seeds, soils, areas, materials or spaces to be kept free from them with the fungicidal mixture as claimed in claim 1.
- 7. (currently amended) A method as claimed in claim 6, wherein the compound of the formula I as set forth in claim 1 and at least one compound of the formula II, III or IV as set forth

## CLAIMS 53325

in claim 1 are applied simultaneously, that is together or separately, or in succession.

- 8. (currently amended) A method as claimed in claim 6 or 7, wherein the fungicidal mixture or the compound of the formula I and at least one compound of the formula II, III or IV as set forth in claim 1 are applied in an amount of from 0.01 to 8 kg/ha.
- 9. (original) A fungicidal composition, comprising the fungicidal mixture as claimed in claim 1 and a solid or liquid carrier.